



## Media Scanning & Verification Cell



Media alert from the Media Scanning & Verification Cell, IDSP-NCDC.

Alert ID	Publication Date	Reporting Date	Place Name	News Source/Publication Language
5245	23.04.2019	25.04.2019	Tripura	www.ndtv.com/English <u>https://www.ndtv.com/india-news/lok-</u> <u>sabha-elections-2019-phase-3-voting-fever-</u> <u>outbreak-at-tripura-village-keeps-people-</u> <u>from-voting-2027028</u>
Title:	Fever Outbreak At Tripura Village Keeps People From Voting			
Action By CSU, IDSP –NCDC	Information communicated to SSU- <b>Tripura</b>			
: Hundreds of people in remote Rajdhanpara, in Kalyan Singh ADC village in Tripura, are in the grip of severe fever for over a week. Lack of medical facilities has worsened their plight. The villagers say that no doctor or government official has visited them so far. "People in every family of the area are suffering from fever. Yet no doctor or government officer has visited us. We fetch medicines by ourselves. Government is not paying any attention to our plight," says Askang, a villager. The fever outbreak has also put paid to their plan to vote in the third phase of the ongoing elections today. "How will we cast our votes when most of us are suffering from fever?" he asks. Election Commission (EC) had postponed polling in the Tripura (East) Lok Sabha seat from April 18 to April 23, saying the law and order situation there was not conducive for holding free and fair polls. Tripura has only two Lok Sabha seats Tripura (West) and Tripura (East).				
Save Water- Save Life, 🚔 Save a tree- Don't print unless it's really necessary!				
Disclaimer:- This is a media alert subject to verification. Integrated Disease Surveillance Programme (IDSP), National Centre for Disease Control, Ministry Of Health & Family Welfare, Government of India 22-Sham Nath Marg, Delhi – 110 054 For more information please contact: Media Scanning & Verification Cell: - Phone (011)23946029 Email: - idsp-msc@nic.in, idsp-npo@nic.in Join us on for http://www.facebook.com/pages/Media-Scanning-Verification-Cell-IDSPNCDC/137297949672921				