



Media Scanning & Verification Cell



Media alert from the Media Scanning & Verification Cell, IDSP-NCDC.

Alert ID	Publication Date	Reporting Date	Place Name	News Source/Publication Language
6886	29.07.2022	29.07.2022	Lucknow Uttar Pradesh	www.timesofindia.com/English https://timesofindia.com/English https://timesofindia.com/English https://timesofindia.com/English https://timesofindia.indiatimes.com/city/lucknow/over-140-more-people-take-ill-in-diarrhoea-hit-locality/articleshowprint/93197480.cms
Title:	Over 140 more people take ill in diarrhoea-hit locality in district Lucknow, Uttar Pradesh			
Action By CSU, IDSP –NCDC	Information communicated to DSU – Lucknow, SSU- Uttar Pradesh			

At least 140 more people have taken ill because of contaminated water supply leading to diarrhoea outbreak in Gajhrapurwa locality of Vikasnagar Sector 8 on Thursday. Eight more people had to be hospitalized due to nausea and loose motions, taking the number of hospitalizations to 16 so far.

All the patients were sent to the BRD hospital and their condition is said to be stable. Locals claimed that Akhilesh Gautam (28), a resident, died due to diarrhoea on July 19, but the office of the chief medical officer (CMO) denied this on grounds that the probe is underway to examine the exact cause.

Akhilesh's brother Vikram said, "My brother was ill for two days with loose motions and nausea after drinking contaminated water. His condition deteriorated and he died on the way to hospital."

The residents also claimed that the yellowish water has been supplied for more than a month and in the past five days, the yellowishness increased and water was stinking.

♦Save Water- Save Life, 🖂 Save a tree- Don't print unless it's really necessary!

Disclaimer:- This is a media alert subject to verification.

Integrated Disease Surveillance Programme (IDSP), National Centre for Disease Control,
Ministry Of Health & Family Welfare, Government of India

22-Sham Nath Marg, Delhi - 110 054

For more information please contact: Media Scanning & Verification Cell: - Phone (011)23946029

Email: - idsp-msc@nic.in, idsp-npo@nic.in

Join us on



http://www.facebook.com/pages/Media-Scanning-Verification-Cell-IDSPNCDC/137297949672921

https://twitter.com/MSVC1



Junior engineer of Jal Kal department, Suryamani Yadav said, "We are looking for the cause of contamination. The supply of two water pipelines passing through the drain has been cut off and two water tankers have been deployed as an alternative."

Dr Pallvi Kumari, who was with the NHM's mobile medical unit camping in the area, said, "The conditions of the patients who were admitted to BRD hospital are stable." Meanwhile, Lucknow North MLA Neeraj Bora visited the spot and took stock of the situation.

♦Save Water- Save Life, ♣ Save a tree- Don't print unless it's really necessary!

Disclaimer:- This is a media alert subject to verification.

Integrated Disease Surveillance Programme (IDSP), National Centre for Disease Control, Ministry Of Health & Family Welfare, Government of India

22-Sham Nath Marg, Delhi - 110 054

For more information please contact: Media Scanning & Verification Cell: - Phone (011)23946029

Email: - idsp-msc@nic.in, idsp-npo@nic.in

Join us on



http://www.facebook.com/pages/Media-Scanning-Verification-Cell-IDSPNCDC/137297949672921

https://twitter.com/MSVC1

